

# Quick Tips

General and quick tips, commands and utilites. No deep dive, just simple oneliners.

- [Copy from Linux to Windows - SCP](#)
- [See what apt would install \(Debian/Ubuntu\)](#)
- [Edit previous commands in shell before running them](#)
- [Customize date and time in Windows](#)
- [Kill X server on OpenBSD \(switch to terminal\)](#)
- [Create encrypted ZFS pool in Proxmox](#)

# Copy from Linux to Windows

## – SCP

- You need to copy file from Linux machine to Windows quickly
- You have SSH access to the Linux machine from Windows
- You have scp installed

Type this to PowerShell/Windows Terminal on your Windows machine

```
scp -P [SSH port] linuxusername@ip_of_linux:/path/to/your/file.tar C:\Path\to\save\the\file
```

Omit the -P option if you are using default SSH port 22.

# See what apt would install (Debian/Ubuntu)

See what apt would install without actually installing the package:

```
$ sudo apt install --dry-run packagename
```

or

```
$ sudo apt install packagename --dry-run
```

# Edit previous commands in shell before running them

Let's say you run a certain command with some parameters (like opening a file in `vim`). Then you want to run basically the same command, but instead of opening the file in `vim`, you just want to view the contents with `cat`.

The most common way of doing this would be either:

- Writing the whole command again like this (very slow)  
`sudo cat /etc/apt/sources.list.d/nginx.list`
- Clicking the arrow up button on your keyboard to bring up the previous command (`sudo vim /etc/apt/sources.list.d/nginx.list`) and then changing `vim` to `cat` by moving the cursor using arrow key on the line or some other shortcut
  - This is the way I usually used to do it, but found it oftentimes pretty tedious - especially jumping to the word, deleting it and writing a new one

Recently I found out you can do it a different way and it's actually better for my workflow once I got used to it.

- Run the command you want to run first  
`sudo vim /etc/apt/sources.list.d/nginx.list`
- Then if you want to do the same thing, but just with `cat`, write this in the shell and then hit enter  
`!!:gs/vim/cat`

As you can see below, this will run the previous command, but replacing the word `vim` with `cat`

```
user~$ sudo vim /etc/apt/sources.list.d/nginx.list
user~$ !!:gs/vim/cat
sudo cat /etc/apt/sources.list.d/nginx.list
deb [signed-by=/usr/share/keyrings/nginx-archive-keyring.gpg] http://nginx.org/packages/mainline/debian
bookworm nginx
```

- `!!` - Bring up the previous command
- `:gs` - Global search and replace - <https://unix.stackexchange.com/questions/116623/xy-unix-trick-for-all-instances-in-last-command/116626#116626>
- `/vim/cat` - Replace the word `vim` with `cat`

This can be useful e.g when you edit a file and then want to print out the edited contents into the shell to copy to a ticket or documentation.

# Customize date and time in Windows

This is likely one of very few tips in Windows.


Since Windows 8, Windows is stuck in a phase of migrating settings from the old *Control Panel* to the new *Settings*. This isn't necessarily a bad thing, until you realize that these migrations like dropping features along the way. Then you end up with fractured and incomplete settings. This is the case for *Date & Time* setting section as well. I have Windows in English, but want date/time in a different format, that isn't available under the locale. Fortunately, the old *Control Panel* allows you to define your own date and time formats. This tip works as of Windows 10 version 20H2, you never know when Microsoft decides to break this.

Navigate to *Control Panel* --> *Date and Time*



Date and Time


*Change date and time*



*Change calendar settings*

Date: Time:

September 2021						
Mo	Tu	We	Th	Fr	Sa	Su
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	1	2	3
4	5	6	7	8	9	10



12:58:28 AM

[Change calendar settings](#)

OK Cancel

### Additional settings

Examples

Short date: 2021-09-29

Long date: Wednesday, September 29, 2021

Short time: 00:58

Long time: 12:58:38 AM

Additional settings...

Here you will find four tabs regarding Numbers, Currency, Time and Date. Click on Date for example and you can define you own date formats with y, m and d.

Customize Format

Numbers Currency Time Date

Example

Short date: 2021-09-29

Long date: Wednesday, September 29, 2021

Date formats

Short date: yyyy-MM-dd

Long date: dddd, MMMM d, yyyy

What the notations mean:  
d, dd = day; ddd, dddd = day of week; M = month; y = year

Calendar

When a two-digit year is entered, interpret it as a year between:

1950 and 2049

First day of week: Monday

Click Reset to restore the system default settings for numbers, currency, time, and date.

Reset

OK Cancel Apply

For the classic ISO style date 2021-09-29, type yyyy-MM-dd into the Short date field.



# Kill X server on OpenBSD (switch to terminal)

If you find yourself stuck on a OpenBSD login screen, or you simply do not wish to login and start X server and you would rather go to the command line login, simply press `Ctrl + Alt + F1` and it goes immediately into tty.

# Create encrypted ZFS pool in Proxmox

There are some things you can't do using the Proxmox GUI, like creating an encrypted ZFS pool. Good thing is that it's possible, you just have to bring out the CLI.

Create: ZFS

Name:

Add Storage: ☒

RAID Level: Single Disk

Compression: on

ashift: 12

<input type="checkbox"/>	Device ↑	Model	Serial	Size	Order
No Disks unused					

Note: ZFS is not compatible with disks backed by a hardware RAID controller. For details see [the reference documentation](#).

Help Create

First of all, **connect** to your Proxmox host using **SSH**.

```
ssh root@proxmox.domain
```

Now let's **generate an encryption key**, choose a name and location of your liking.

```
dd if=/dev/random of=/root/proxmox-zfs.key bs=32 count=1
```

Decide which drives you want to **add to the ZFS pool**. You can list the available drives by their **Serial Number** (SN) like this:

```
ls /dev/disk/by-id/*
```

```
/dev/disk/by-id/ata-ST20000NM007D-3DJ103_XXXXXXX  
/dev/disk/by-id/ata-ST20000NM007D-3DJ103_AAAAAAA  
/dev/disk/by-id/ata-ST20000NM007D-3DJ103_BBBBBBB
```

This allows you to easily **match** the actual drives in your system with what you see in Proxmox. I can certainly recommend **keeping track** of where the drives are in your case - it helps greatly when **one of them fails** and you **need to replace it**.

What else do we want to enable on our pool? There's a couple of **options** we might want to add. Here's a link that will give you some information - <https://www.high-availability.com/docs/ZFS-Tuning-Guide/> But of course, **feel free** to do the **research** yourself.

Property	Recommended Value	Description
ashift	12	4KiB block size
atime	off	Do not update atime on file read
recordsize	64KiB	Smaller record sizes for databases (match the database block size)
recordsize	128Kib	Standard usage (mixture of file sizes)
recordsize	1Mb	Recommended for large files
compression	lz4	Set compression to use the lz4 algorithm
xattr	sa	Store Linux attributes in inodes rather than files in hidden folders

Here's the **final command**. Please, make sure the settings above, especially **recordsize**, meet your needs. The default is 128Kib.

```
zpool create -O encryption=on -O keyformat=raw -O keylocation=file:///root/proxmox-zfs.key -o ashift  
=12 -O compression=lz4 -O atime=off -O xattr=sa proxmox-zfs raidz1 /dev/disk/by-id/ata-ST20000NM007D-  
3DJ103_XXXXXXX /dev/disk/by-id/ata-ST20000NM007D-3DJ103_AAAAAAA /dev/disk/by-id/ata-ST20000NM007D-  
3DJ103_BBBBBBB /dev/disk/by-id/ata-ST20000NM007D-3DJ103_CCCCCC
```

I'm using **RAIDZ1** here, which is basically **RAID 5**, meaning that the pool can tolerate a **failure of 1 drive**. You can choose other configuration that meets your needs.

You can then check the **pool status**

```
root@proxmox:~# zpool status  
pool: proxmox-zfs  
state: ONLINE  
scan: scrub repaired 0B in 20:23:51 with 0 errors on Sun Jan 14 20:47:53 2024
```

config:


NAME	STATE	READ	WRITE	CKSUM
proxmox-zfs	ONLINE	0	0	0
raidz1-0	ONLINE	0	0	0
ata-ST20000NM007D-3DJ103_XXXXXXX	ONLINE	0	0	0
ata-ST20000NM007D-3DJ103_AAAAAAA	ONLINE	0	0	0
ata-ST20000NM007D-3DJ103_BBBBBBB	ONLINE	0	0	0
ata-ST20000NM007D-3DJ103_CCCCCC	ONLINE	0	0	0

The pool should also now be visible under your **Proxmox node --> Disks --> ZFS**

Q Search Summary Notes	Reload	Create: ZFS	Detail			
	Name ↑	Size	Free	Allocated	Fragmentat...	Health
	proxmox-zfs	79.99 TB	32.84 TB	47.14 TB	1%	ONLINE

(yours will be empty, I already have data here)

To be able to use this pool in **Proxmox** for **VMs** or **Containers**, we need to create a **ZFS Storage** as well. Go to the **Datacenter** view --> **Storage** and click on **ZFS**




Here's where you can also pick the **Block Size**, which is **volblocksize** for **zvol**s. This is better explained here:

- <https://blog.zanshindojo.org/proxmox-zfs-performance/>

- <https://klarasystems.com/articles/tuning-recordsize-in-openzfs/>
- <https://ibug.io/blog/2023/10/zfs-block-size/>
- <https://openzfs.github.io/openzfs-docs/Performance%20and%20Tuning/Workload%20Tuning.html#dataset-recordsize>
- <https://jrs-s.net/2019/04/03/on-zfs-recordsize/>

You can also enable **Thin provision** if you'd like.



**Add: ZFS**

**General** Backup Retention

ID: proxmox-zfs Nodes: All (No restrictions) ▾


ZFS Pool: ▾ Enable: ☒

Content: Disk image, Container ▾ Thin provision: ☒

Block Size: 128k

**Help** **Add**

You will now see the storage under your Proxmox node and you should be able to add disks to VMs using this storage.



You can actually create multiple of these on the same underlying ZFS pool. The reason for that might be that you want to use different Block Sizes (volblocksize) for OS/Swap/Database etc.